Client/Matter: 008312-0273762

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A multichannel recording device configured to record data on a disk-shaped recording medium that includes an object area in which object data constituting corresponding to programs are recorded and a management area in which management data is recorded, said multichannel recording device comprising:

receiving means for simultaneously receiving a first program and a second program. which are different from each other;

encoding means for encoding the first and second programs in parallel so as to obtain object data corresponding to the first and second programs;

recording means for alternately recording the object data, obtained by the encoding means and corresponding to the first and second programs, on a first program and object-data on a second program in the object area of the disk-shaped recording medium such that the object data are recorded based on a data length that enables continuous data reproduction;

reproduction means for reproducing the object data which the recording means records in the object area; and

control means for recording the management data in the management area of the diskshaped recording medium, wherein the management data controls the reproduction means to reproduce the first and second programs in an order determined by channel numbers or recording start times.

2. (Currently Amended) A multichannel recording device configured to record data on a disk-shaped recording medium including an object area in which object data constituting corresponding to programs are recorded and a management area in which management data is recorded, said multichannel recording device comprising:

receiving means for simultaneously receiving a first program and a second program. which are different from each other;

encoding means for encoding the first and second programs in parallel so as to obtain object data corresponding to the first and second programs;

KUKANU ET AL. -- 09/645,619 Client/Matter: 008312-0273762

recording means for alternately recording the object data, obtained by the encoding means and corresponding to the first and second programs, on a first program and object data on a second program in the object area of the disk-shaped recording medium such that the object data are recorded based on a data length that enables continuous data reproduction;

reproduction means for reproducing the object data which the recording means records in the object area; and

control means for recording the management data in the management area of the diskshaped recording medium, wherein the management data controls the reproduction means to reproduce a requested program, the requested program being one of the first or second programs.

3. (Currently Amended) A multichannel recording method for recording data on a disk-shaped recording medium that includes an object area in which object data constituting corresponding to programs are recorded and a management area in which management data is recorded, said method comprising:

simultaneously receiving a first program and a second program, which are different from each other:

encoding the first and second programs in parallel so as to obtain object data corresponding to the first and second programs;

alternately recording the object data obtained by the encoding of the first and second programs on a first program and object data on a second-program in the object area of the disk-shaped recording medium such that the object data are recorded based on a data length that enables continuous data reproduction;

reproducing the object data recorded in the object area; and

controlling the recording of the management data in the management area of the diskshaped recording medium in which the management data controls the reproduction of the first and second programs in an order determined by channel numbers or recording start times.

4. (Currently Amended) A multichannel recording method for recording data on a disk-shaped recording medium that includes an object area in which object data constituting corresponding to programs are recorded and a management area in which management data is recorded, said method comprising:

simultaneously receiving a first program and a second program, which are different from each other:

encoding the first and second programs in parallel so as to obtain object data corresponding to the first and second programs;

alternately recording the object data obtained by the encoding of the first and second programs on a first program and object data on a second program in the object area of the disk-shaped recording medium such that the object data are recorded based on a data length that enables continuous data reproduction;

reproducing the object data recorded in the object area; and

controlling the recording of the management data in the management area of the diskshaped recording medium in which the management data controls the reproduction of a requested program, the requested program being one of the first or second programs.

- 5. (Cancelled).
- 6. (Cancelled).
- 7. (Cancelled).
- 8. (Cancelled).
- 9. (Cancelled).
- 10. (Cancelled).
- 11. (Previously Presented) A multichannel recording device according to claim 1, wherein while the digital data constituting said first and second programs are being alternately recorded on said disc-shaped recording medium using said specified data length unit, if there is an area in the recording direction where other data are recorded, said control means skips the area during the recording.
 - 12. (Previously Presented) A multichannel recording device according to claim 2,

means skips the area during the recording.

T-815 P.006/010 F-737

wherein while the digital data constituting said first and second programs are being alternately recorded on said disc-shaped recording medium using said specified data length unit, if there is an area in the recording direction where other data are recorded, said control

- 13. (Previously Presented) A multichannel recording method according to claim 3, wherein while the digital data constituting said first and second programs are being alternately recorded on said disc-shaped recording medium using said specified data length unit, if there is an area in the recording direction where other data are recorded, the area is skipped during said recording.
- 14. (Previously Presented) A multichannel recording method according to claim 4, wherein while the digital data constituting said first and second programs are being alternately recorded on said disc-shaped recording medium using said specified data length unit, if there is an area in the recording direction where other data are recorded, the area is skipped during said recording.
- 15. (Previously Presented) A multichannel recording device according to claim 1, wherein said specified data length unit is a CDA unit.
- 16. (Previously Presented) A multichannel recording device according to claim 2, wherein said specified data length unit is a CDA unit.
- 17. (Previously Presented) A multichannel recording method according to claim 3, wherein said specified data length unit is a CDA unit.
- 18. (Previously Presented) A multichannel recording method according to claim 4, wherein said specified data length unit is a CDA unit.